




Certificate of Analysis

Pages 1 of 2

PASSED



Harvest/Lot ID: 2593-20002K
Batch #: CO HEMP - 2593-20002K
Harvest Date: 03/16/26
Production Method: Other
Servings: 1
Metric Package #:
1A4000B00048829000001821
Metric Source Package #: NA

Lab ID: DE60408005-011
Ordered: 04/07/26
Sampled Date: 04/08/26
Sample Size: 124.72 gram
Completed: 04/12/26

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

SAFETY RESULTS

MISC.

								
Pesticide NOT TESTED	Heavy Metals NOT TESTED	Microbial PASSED	Mycotoxins NOT TESTED	Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture Content NOT TESTED	Terpenes NOT TESTED



Cannabinoid

PASSED



Total THC
ND



Total CBD
3.445%



Total Cannabinoids
3.852%

	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	EXO-THC	D9-THC	D8-THC	THCVA	D10-THC	CBC	THCA
%	ND	ND	0.366	3.445	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/g	ND	ND	3.660	34.450	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.002	0.001	0.002	0.001	0.001	0.002	0.001	0.001	0.004	0.001	0.002	0.001	0.002	0.002	0.002
LOQ	0.005	0.003	0.006	0.004	0.004	0.006	0.005	0.004	0.012	0.003	0.008	0.004	0.006	0.008	0.006
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
3460, 3200, 8, 2080

Weight:
1.0088g

Extraction date:
04/09/26 15:13:58

Extracted by:
3460,3200

Analysis Method: SOP.T.40.039.CO

Analytical Batch: DE012546POT

Instrument Used: No Name (Shimadzu)

Analyzed Date: 04/12/26 18:02:14

Batch Date: 04/09/26 09:36:06

Dilution: 40

Reagent: 040926.R06; 040626.R13; 040826.R16; 040826.R15; 031626.R01; 031126.27

Consumables: 230822-052-1A; 947.100; 24072098; 04303051; 0000526926; 042725CH01; 1009372578; 61572-107C6-107H

Pipette: 20C40454_Repeater; POT- 21F92365 50mL Dispensette; POT- 5-50mL Dispensette 21L76426; 21K57929_P200; POT- 25 mL Dispensette - 25F90268

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens
Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

William Stephens

Signature
04/12/26
Laboratory License #:
405R-00037



3940 Holly St.
Denver, CO, 80207, US
(303) 427-2379

Kaycha Labs
.....
CBD/CBG Winter Whipped Body Butter
Matrix: Infused
Classification: CBD
Type: Topical



Certificate of Analysis

Pages 2 of 2

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

Sample: DE60408005-011

Batch #: CO HEMP - 2593-20002K
Harvest/Lot ID: 2593-20002K
Seed to sale: 1A4000B00048829000001821

Ordered: 04/07/26
Sampled: 04/08/26
Completed: 04/12/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL YEAST AND MOLD	cfu/g	100	100	10000	PASS	ND	
SHIGA-TOXIN PRODUCING ESCHERICHIA COLI (STEC)					PASS	Not Present	
SALMONELLA SPECIES					PASS	Not Present	
TOTAL AEROBIC	cfu/g	10	10	10000	PASS	ND	
TOTAL COLIFORM	cfu/g	10	10	100	PASS	ND	

Analyzed by:
3665, 1473, 8, 2080

Weight:
2.85g

Extraction date:
04/08/26 11:02:13

Extracted by:
3665

Analysis Method : SOP.T.40.057.CO; SOP.T.40.209.CO

Analytical Batch : DE012536MIC

Instrument Used : Microbial - Full Panel

Batch Date : 04/08/26 07:14:00

Analyzed Date : 04/12/26 17:50:51

Dilution : N/A

Reagent : 031826.R01; 040126.R10; 040126.R11; 030426.R17; 040226.R01; 112525.03; 073025.01; 031226.18; 030426.01; 031226.19; 120325.01; 021326.01; 031926.02; 032026.01; 040726.28; 032626.01; 022526.01; 040226.R07

Consumables : 042725CH01; 01859; 00120; 1; 41594-550C4-550AI; 62125-528C6-528J; 250520-14304-F; 211129-1125; 2; 25H4015

Pipette : MIC EXT - L47149J_P1000; MIC EXT - MV21601_P100; MIC TYM - MU03680_P1000; MIC PCR - M32141C_P100; 20C40454_Repeater; 22G22702_Repeater; MIC TYM - MU06201_P100; MIC PCR - N65633K_P200; MIC EXT - K94440L_P20; MIC - 20E73249_Dispensette 5-50mL; MIC EXT - J46789J_P200; MIC PCR - J55715J_P20; MIC TYM - M30687C_P10; MIC PCR - O52710K_P10; MIC TYM - N15637K_P100; MIC PCR - O34081K_P1000; MIC TYM - 20B29164_P1000

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

COMMENTS

* Cannabinoid DE60408005-011POT

1 - Measurement Uncertainty for delta-9 THC (wt%, Infused) 95% interval : 0.07, Measurement Uncertainty for THCA (wt%, Infused) 95% interval : 0.05

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens

Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

Signature
04/12/26
Laboratory License #:
405R-00037