



Certificate of Analysis

PASSED



Harvest/Lot ID: 2639-9820U
Batch #: CO HEMP - 2639-9820U
Harvest Date: 05/04/26
Production Method: Other
Retail Product Size: 226.79 gram
Retail Serving Size: 226.79 gram
Servings: 1
Metric Package #:
1A4000B00048829000002048
Metric Source Package #: NA

Lab ID: DE60507035-001
Ordered: 05/06/26
Sampled Date: 05/07/26
Sample Size: 224.0 gram
Completed: 05/12/26

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

SAFETY RESULTS

MISC.

								
Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filtration/Foreign Material	Water Activity	Moisture Content	Terpenes
NOT TESTED	NOT TESTED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

Cannabinoid **PASSED**



	ACTIVE THC	ACTIVE CBD	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	EXO-THC	D9-THC	THCVA	D10-THC	D8-THC	CBC	THCA
%	ND	ND	ND	ND	0.326	2.928	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/g	ND	ND	ND	ND	3.255	29.284	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0	0	0.002	0.001	0.002	0.001	0.001	0.002	0.001	0.001	0.004	0.001	0.001	0.002	0.002	0.002	0.002
LOQ	0	0	0.005	0.003	0.006	0.004	0.004	0.006	0.005	0.004	0.012	0.003	0.004	0.006	0.008	0.008	0.006
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3200, 8, 4046 Weight: 0.9566g Extraction date: 05/08/26 11:16:36 Extracted by: 3200

Analysis Method : SOP.T.40.039.CO
Analytical Batch : DE012785POT
Instrument Used : No Name (Shimadzu) Batch Date : 05/07/26 20:21:50
Analyzed Date : 05/12/26 09:02:42

Dilution : 40
Reagent : 050126.R03; 050426.R06; 050726.R23; 050726.R24; 050726.R01; 050726.R02; 050726.R26; 050726.R27; 050126.R02; 031126.27
Consumables : 230822-052-1A; 947.100; 24072098; 04303051; 0000526926; 042725CH01; 1009372578; 61572-107C6-107H
Pipette : 20C40454_Repeater; POT- 21F92365 50mL Dispensette; POT- 5-50mL Dispensette 21L76426; 21K57929_P200; POT- 25 mL Dispensette - 25F90268

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

Microbial **PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL YEAST AND MOLD	cfu/g	100	100	10000	PASS	ND	

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens
Lab Director



State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

Signature
05/12/26
Laboratory License #:
405R-00037



3940 Holly St.
Denver, CO, 80207, US
(303) 427-2379

Kaycha Labs
.....
CBD/CBG Arnica Butter
Matrix: Infused
Classification: CBD
Type: Topical



Certificate of Analysis

Pages 2 of 2

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

Sample: DE60507035-001

Batch #: CO HEMP - 2639-9820U
Harvest/Lot ID: 2639-9820U
Seed to sale: 1A4000B00048829000002048

Ordered: 05/06/26
Sampled: 05/07/26
Completed: 05/12/26

PASSED

	Microbial	PASSED
--	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
SHIGA-TOXIN PRODUCING ESCHERICHIA COLI (STEC)					PASS	Not Present	
SALMONELLA SPECIES					PASS	Not Present	
TOTAL AEROBIC	cfu/g	10	10	10000	PASS	ND	
TOTAL COLIFORM	cfu/g	10	10	100	PASS	ND	

Analyzed by: 3665, 3215, 8, 4046	Weight: 1.31g	Extraction date: 05/08/26 10:30:13	Extracted by: 3665
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.057.CO; SOP.T.40.209.CO

Analytical Batch : DE012786MIC

Instrument Used : Microbial - Full Panel

Batch Date : 05/08/26 08:43:06

Analyzed Date : 05/11/26 12:47:44

Dilution : N/A

Reagent : 042126.R01; 042826.R15; 040226.R06; 042826.R02; 031026.06; 042826.05; 032626.01; 042326.06; 112525.03; 073025.01; 032426.03; 050526.01; 031926.08; 013026.01; 021326.01; 042826.R16

Consumables : 042725CH01; 01859; 00122; 1; 41594-550C4-550AI; 62125-528C6-528J; 250705-6304-F; 211129-1125; 2; 25H4015

Pipette : MIC EXT - L47149J_P1000; MIC EXT - MV21601_P100; MIC TYM - MU03680_P1000; MIC PCR - M32141C_P100; 20C40454_Repeater; 22G22702_Repeater; MIC TYM - MU06201_P100; MIC PCR - N65633K_P200; MIC EXT - K94440L_P20; MIC - 20E73249_Dispensette 5-50mL; MIC EXT - J46789J_P200; MIC PCR - J55715J_P20; MIC TYM - M30687C_P10; MIC PCR - O52710K_P10; MIC TYM - N15637K_P100; MIC PCR - O34081K_P1000; MIC TYM - 20B29164_P1000

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens
Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

Signature
05/12/26
Laboratory License #:
405R-00037