




Certificate of Analysis

Pages 1 of 2

PASSED



Harvest/Lot #: 2639-35002U
Batch #: CO HEMP - 2639-35002U
Harvest Date: 07/09/26
Production Method: Other
Total Amount: gram
Retail Product Size: 236 gram
Retail Serving Size: 236 gram
Servings: 1
Metrc Package #:
1A4000B00048829000002515
Metrc Source Package #: : NA

Lab ID: DE60714006-001
Ordered: 07/10/26
Sampled Date: 07/14/26
Sample Size: 239.11 gram
Completed: 07/17/26

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

SAFETY RESULTS

MISC.



Pesticide

NOT TESTED



Heavy Metals

NOT TESTED



Microbial

PASSED



Mycotoxins

NOT TESTED



Solvents

NOT TESTED



Filtration/Foreign Material

NOT TESTED



Water Activity

NOT TESTED



Moisture Content

NOT TESTED



Terpenes

NOT TESTED



Cannabinoid

PASSED



Total THC
ND



Total CBD
3.021%



Total Cannabinoids
3.335%

	ACTIVE THC	ACTIVE CBD	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	EXO-THC	D9-THC	THCVA	D10-THC	D8-THC	CBC	THCA
%	ND	3.021	ND	ND	0.314	3.021	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/g	ND	30.210	ND	ND	3.140	30.210	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Qualifier																	
LOD (%)	0	0	0.002	0.001	0.002	0.001	0.001	0.002	0.001	0.001	0.004	0.001	0.001	0.002	0.002	0.002	0.002
LOQ (%)	0	0	0.005	0.003	0.006	0.004	0.004	0.006	0.005	0.004	0.004	0.003	0.004	0.006	0.008	0.008	0.006

Analyzed by:
3460, 3498, 8, 2080

Weight:
1.8343g

Extraction date:
07/14/26 14:38:49

Extracted by:
3460,4455

Analysis Method: SOP.T.40.039.CO

Analytical Batch: DE013302POT

Instrument Used: Shimadzu LC-2030C 3D Plus Ted

Analyzed Date: 07/16/26 14:50:54

Batch Date: 07/14/26 12:27:46

Dilution: 40

Reagent: 071126.R01; 071126.R02; 071126.R03; 071426.R06; 071426.R07; 062426.R06; 061726.R01; 031126.28

Consumables: 230822-052-1A; 947.100; 2421820111; 04303051; 0000526926; 071525CH01; 1009372578; 61572-107C6-107H

Pipette: 22G22702_Repeater; POT- 21F92365 50mL Dispensette; POT- 5-50mL Dispensette 21L76426; POT- 25 mL Dispensette - 25F90268

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens
Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

William Stephens

Signature
07/17/26
Laboratory License #:
405R-00037



3940 Holly St.
Denver, CO, 80207, US
(303) 427-2379

Kaycha Labs
.....
CBD/CBG Massage Cream
Matrix: Infused
Classification: CBD
Type: Topical



Certificate of Analysis

Pages 2 of 2

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

Sample: DE60714006-001

Batch #: CO HEMP - 2639-35002U
Harvest/Lot ID: 2639-35002U
Seed to sale: 1A4000B00048829000002515

Ordered: 07/10/26
Sampled: 07/14/26
Completed: 07/17/26

PASSED



Microbial

PASSED

ANALYTES

	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL YEAST AND MOLD	10000	100	100	ND	cfu/g		PASS
SHIGA-TOXIN PRODUCING ESCHERICHIA COLI (STEC)	1	1	1	Not Present	pass/fail		PASS
SALMONELLA SPECIES	1	1	1	Not Present	pass/fail		PASS
TOTAL AEROBIC	10000	10	10	ND	cfu/g		PASS
TOTAL COLIFORM	100	10	10	ND	cfu/g		PASS

Analyzed by:
3215, 2, 2080

Weight:
1.13g

Extraction date:
07/14/26 12:53:52

Extracted by:
3665,3215

Analysis Method : SOP.T.40.057.CO; SOP.T.40.209.CO

Analytical Batch : DE013298MIC

Instrument Used : Microbial - Full Panel

Batch Date : 07/14/26 08:28:38

Analyzed Date : 07/17/26 07:52:04

Dilution : N/A

Reagent : 071326.R09; 061626.R17; 070726.R18; 070726.R19; 061626.R03; 061726.R10; 031926.01; 073025.01; 063026.01; 052226.03; 051426.01; 040826.31; 040826.30; 061826.01; 061726.01; 052626.01; 070326.01

Consumables : 111425CH01; 01859; 00122; 1; 41594-550C4-550AI; 62201-612C6-612J; 250520-14304-F; 211129-1125; 2; 25H4015

Pipette : MIC EXT - L47149J_P1000; MIC EXT - MV21601_P100; MIC TYM - MU03680_P1000; MIC PCR - M32141C_P100; 20C40454_Repeater; 22G22702_Repeater; MIC TYM - MU06201_P100; MIC PCR - N65633K_P200; MIC EXT - K94440L_P20; MIC - 20E73249_Dispensette 5-50mL; MIC EXT - J46789J_P200; MIC PCR - J55715J_P20; MIC TYM - M30687C_P10; MIC PCR - O52710K_P10; MIC TYM - N15637K_P100; MIC PCR - O34081K_P1000; MIC TYM - 20B29164_P1000

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens

Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

William Stephens

Signature
07/17/26
Laboratory License #:
405R-00037