



Certificate of Analysis

Pages 1 of 2

PASSED



Harvest/Lot #: 2639-9004Y
Batch #: CO HEMP - 2639-9004Y
Harvest Date: 07/10/26
Production Method: Other
Total Amount: gram
Retail Product Size: 124.72 gram
Retail Serving Size: 124.72 gram
Servings: 1
Metric Package #:
1A4000B00048829000002516
Metric Source Package #: NA

Lab ID: DE60714006-002
Ordered: 07/10/26
Sampled Date: 07/14/26
Sample Size: 118.36 gram
Completed: 07/17/26

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

SAFETY RESULTS

MISC.



Pesticide

NOT TESTED



Heavy Metals

NOT TESTED



Microbial

PASSED



Mycotoxins

NOT TESTED



Solvents

NOT TESTED



Filtration

NOT TESTED



Water Activity

NOT TESTED



Moisture Content

NOT TESTED



Terpenes

NOT TESTED



Cannabinoid

PASSED



Total THC
ND



Total CBD
1.614%



Total Cannabinoids
1.614%

	ACTIVE THC	ACTIVE CBD	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	EXO-THC	D9-THC	THCVA	D10-THC	D8-THC	CBC	THCA
%	ND	ND	ND	ND	ND	1.614	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/g	ND	ND	ND	ND	ND	16.140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Qualifier																	
LOD (%)	0	0	0.002	0.001	0.002	0.001	0.001	0.002	0.001	0.001	0.004	0.001	0.001	0.002	0.002	0.002	0.002
LOQ (%)	0	0	0.005	0.003	0.006	0.004	0.004	0.006	0.005	0.004	0.004	0.003	0.004	0.006	0.008	0.008	0.006

Analyzed by:
3460, 3498, 8, 2080

Weight:
1.1704g

Extraction date:
07/14/26 14:38:49

Extracted by:
3460,4455

Analysis Method: SOP.T.40.039.CO

Analytical Batch: DE013302POT

Instrument Used: Shimadzu LC-2030C 3D Plus Ted

Analyzed Date: 07/16/26 14:36:05

Batch Date: 07/14/26 12:27:46

Dilution: 40

Reagent: 071126.R01; 071126.R02; 071126.R03; 071426.R06; 071426.R07; 062426.R06; 061726.R01; 031126.28

Consumables: 230822-052-1A; 947.100; 2421820111; 04303051; 0000526926; 071525CH01; 1009372578; 61572-107C6-107H

Pipette: 22G22702_Repeater; POT- 21F92365 50mL Dispensette; POT- 5-50mL Dispensette 21L76426; POT- 25 mL Dispensette - 25F90268

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens
Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

William Stephens

Signature
07/17/26
Laboratory License #:
405R-00037



3940 Holly St.
Denver, CO, 80207, US
(303) 427-2379

Kaycha Labs
.....
CBD Deep Tissue Cream
Matrix: Infused
Classification: CBD
Type: Topical



Certificate of Analysis

Pages 2 of 2

Armitage Apothecary LLC

4949 North Broadway Ste. 234
Boulder, CO, 80304, US
susanscbd.com
License #: 405R-00037

Sample: DE60714006-002

Batch #: CO HEMP - 2639-9004Y
Harvest/Lot ID: 2639-9004Y
Seed to sale: 1A4000B00048829000002516

Ordered: 07/10/26
Sampled: 07/14/26
Completed: 07/17/26

PASSED



Microbial

PASSED

ANALYTES

	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL YEAST AND MOLD	10000	100	100	ND	cfu/g		PASS
SHIGA-TOXIN PRODUCING ESCHERICHIA COLI (STEC)	1	1	1	Not Present	pass/fail		PASS
SALMONELLA SPECIES	1	1	1	Not Present	pass/fail		PASS
TOTAL AEROBIC	10000	10	10	ND	cfu/g		PASS
TOTAL COLIFORM	100	10	10	ND	cfu/g		PASS

Analyzed by:
3215, 2, 2080

Weight:
1.59g

Extraction date:
07/14/26 12:53:52

Extracted by:
3665,3215

Analysis Method : SOP.T.40.057.CO; SOP.T.40.209.CO

Analytical Batch : DE013298MIC

Instrument Used : Microbial - Full Panel

Batch Date : 07/14/26 08:28:38

Dilution : N/A

Reagent : 071326.R09; 061626.R17; 070726.R18; 070726.R19; 061626.R03; 061726.R10; 031926.01; 073025.01; 063026.01; 052226.03; 051426.01; 040826.31; 040826.30; 061826.01; 061726.01; 052626.01; 070326.01

Consumables : 111425CH01; 01859; 00122; 1; 41594-550C4-550AI; 62201-612C6-612J; 250520-14304-F; 211129-1125; 2; 25H4015

Pipette : MIC EXT - L47149J_P1000; MIC EXT - MV21601_P100; MIC TYM - MU03680_P1000; MIC PCR - M32141C_P100; 20C40454_Repeater; 22G22702_Repeater; MIC TYM - MU06201_P100; MIC PCR - N65633K_P200; MIC EXT - K94440L_P20; MIC - 20E73249_Dispensette 5-50mL; MIC EXT - J46789J_P200; MIC PCR - J55715J_P20; MIC TYM - M30687C_P10; MIC PCR - O52710K_P10; MIC TYM - N15637K_P100; MIC PCR - O34081K_P1000; MIC TYM - 20B29164_P1000

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) methods and plating methods. If a pathogenic Escherichia Coli (STEC) or Salmonella is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

William Stephens

Lab Director

State License #
405R-00037 405-00022
ISO 17025
Accreditation #
4331.01

William Stephens

Signature
07/17/26
Laboratory License #:
405R-00037